

References

- Ahnert, F. 1996. *Introduction to Geomorphology*. London: Arnold Publishers.
- Amato, P. 2003. Effects of urbanization on storm response in the North Fork San Pedro Creek. MA Thesis. San Francisco State University. San Francisco.
- 2002. Storm response of water and turbidity levels in two tributaries in San Pedro Creek. In *San Pedro Creek Watershed Assessment and Enhancement Plan*. http://bss.sfsu.edu/jdavis/pedrocreek/Publications/SPCW_Assess_Enhance_Plan.pdf (10 October 2003).
- Aniya, M. 1985. Landslide-susceptibility mapping in the Amahata River Basin, Japan. *Annals of the Association of American Geographers*. 75: 102-114.
- Battad, D.T. 1993. Integration of Geographic Information Systems for simulation models for watershed erosion prediction. Doctoral dissertation, Range Science, Texas A&M University.
- Benda, L.E. and T. W. Cundy. 1990. Predicting deposition of debris flows in mountain channels. *Canadian Geotechnical Journal*. 27: 409-417.
- Brabb, E.E. and E.H. Pampeyan. 1972. Preliminary map of landslide deposits in San Mateo County, California, scale 1:62,500. *Miscellaneous Field Studies Map MF-344*. Washington, D.C.: U.S. Geological Survey.
- Brabb, E.E., E.H. Pampeyan, and M.G. Bonilla. 1972. Landslide susceptibility in San Mateo County, California, scale 1:62,500. *Miscellaneous Field Studies Map MF-360*. Washington, D.C.: U.S. Geological Survey.
- Brardinoni, F., O. Slaymaker, and M.A. Hassan. 2002. Landslide inventory in a rugged forested watershed: a comparison between air-photo and field survey data. *Geomorphology*. 1321:1-18.
- Budd, W.W., P.L. Cohen, P.R. Saunders, and F.R. Steiner. 1987. Stream corridor management in the Pacific Northwest: I. Determination of stream-corridor widths. *Environmental Management*. 11:587-597.
- Bullard, T. F., T. Minor, and R. Maholland. 2002. Sediment Source Assessment: Squaw Creek Watershed, Placer County, California, Final report. http://www.swrcb.ca.gov/rwqcb6/TMDL/Squaw/Squaw_Creek_Final_Report_6-02.pdf (13 May 2003).
- Caltrans. 2003. Devil's Slide at route 1 and Devil's Slide tunnel project. <http://www.dot.ca.gov/dist4/dslide.htm> (13 May 2003).
- Cannon, S.H. and S.D. Ellen. 1988. Rainfall that resulted in abundant debris-flow activity during the storm. In *Landslides, Floods, and Marine Effects of the Storm of January 3-5, 1982, in the San Francisco Bay Region, California*. U.S. Geological Survey Professional Paper 1434. Washington, D.C.: U.S. Geological Survey.
- Clapp, E.M., P.R. Bierman, and M. Caffee. 2002. Using ¹⁰Be and ²⁶Al to determine sediment generation rates and identify sediment source areas in arid region drainage basins. *Geomorphology*. 45: 89-104.

- Collins, A.L. and D.E. Walling. 2002. Selecting properties for discriminating potential suspended sediment sources in river basins. *Journal of Hydrology*. 261: 216-244.
- Collins, L., P. Amato, and D. Morton. 2001. San Pedro Creek Geomorphic Analysis. In *San Pedro Creek Watershed Assessment and Enhancement Plan*. http://bss.sfsu.edu/jdavis/pedrocreek/Publications/SPCW_Assess_Enhance_Plan.pdf (10 October 2003).
- Collins, L., J. Collins, R. Grossinger, L. McKee, and A. Riley. 2001. Wildcat Creek Watershed: A scientific study of physical processes and land use effects. San Francisco Estuary Institute. <http://www.sfei.org/watersheds/wildcatreport/wildcatindex.html> (13 April 2003).
- Couper, P.R. and I.P. Maddock. 2001. Subaerial river bank erosion processes and their interaction with other bank erosion mechanisms on the River Arrow, Warwickshire, UK. *Earth Surface Processes and Landforms*. 26: 631-646.
- Culp, J. 2002. Shell Mounds to Cul-de-Sacs: The Landscape of San Pedro Valley, Pacifica, California. Research Project. San Francisco State University. San Francisco.
- Davis, J. 2003. Personal Communication. San Francisco State University. San Francisco, California.
- 2002. Personal Communication. San Francisco State University. San Francisco, California.
- Dai, F.C. and C.F. Lee. 2001. Terrain-based mapping of landslide susceptibility using a geographic information system: a case study. *Canadian Geotechnical Journal*. 38: 911-923.
- DeRose, R.C., B. Gomez, M. Marden, and N.A. Trustrum. 1998. Gully erosion in Mangatu Forest, New Zealand, estimated from Digital Elevation Models. *Earth Surface Processes and Landforms*. 23: 1045-1053.
- Dietrich, W.E. and D.R. Montgomery. 1998. SHALSTAB: A digital terrain model for mapping shallow landslide potential. <http://ist-socrates.berkeley.edu/~geomorph/shalstab/> (6 April 2003).
- Dietrich, W.E., D. Bellugi, R. Real de Asua, and L. Stanziano. 1998. SHALSTAB Tools Tutorial: Using SHALSTAB to map shallow landslide potential. <http://ist-socrates.berkeley.edu/~geomorph/shalstab/> (6 April 2003).
- Ellen, S.D., G.F. Wieczorek, W.M. Brown, III, and D.G. Herd. 1988. Introduction. In *Landslides, Floods, and Marine Effects of the Storm of January 3-5, 1982, in the San Francisco Bay Region, California*. U.S. Geological Survey Professional Paper 1434. Washington, D.C.: U.S. Geological Survey.
- Ellen, S.D., R.K. Mark, G.F. Wieczorek, C.M. Wentworth, D.W. Ramsey and T.E. May. 1997. San Francisco Bay Region Landslide Portfolio Part E: Map of debris flow source areas in the San Francisco Bay Region, California. U.S. Geological Survey Open File Report 97-745. <http://wrgis.wr.usgs.gov/open-file/of97-745/of97-745e.html> (14 May 2003).

- ESRI (Earth Systems Research Institute). 2001. USA sample data packaged with ArcMap 8.1.
- Finco, M.V. and G.F. Hepner. 1998. Modeling agricultural nonpoint source sediment yield in Imperial Valley, California. *Photogrammetric Engineering and Remote Sensing*. 64: 1097-1105.
- Gilliam, J.W. and R.W. Skaggs. 1988. Nutrient and sediment removal in wetland buffers. In *Proceedings of National Symposium on Wetland Hydrology*, edited by J.A. Kusler. Berne, NY: Association of State Wetland Managers.
- Heisinger, Doug. 2003. Personal Communication. San Pedro County Park. Pacifica, CA.
- Hooke, J.M. 1979. An analysis of the processes of river bank erosion. *Journal of Hydrology*. (42): 39-62.
- Howard, T.R., J.E. Baldwin, II, and H.F. Donley. 1988. Landslides in Pacifica, California caused by the storm. In *Landslides, Floods, and Marine Effects of the Storm of January 3-5, 1982, in the San Francisco Bay Region, California*. U.S. Geological Survey Professional Paper 1434. Washington, D.C.: U.S. Geological Survey.
- KRIS (Klamath Resource Information System). 2002. Policy and Regulation: Total Maximum Daily Load (TMDL). <http://www.krisweb.com/krisredwood/krisdb/html/krisweb/policy/tmdl.htm> (12 May 2003).
- Kasai, M., T. Marutani, L.M. Reid, and N.A. Trustrum. 2001. Estimation of Temporally Averaged Sediment Delivery Ratio Using Aggradational Terraces in Headwater Catchments of the Waipaoa River, North Island, New Zealand. *Earth Surface Processes and Landforms*. (26): 1-16.
- Kashiwagi, J.H. and Hokholt, L.A. 1991. USDA Soil Conservation Service. Soil Survey of San Mateo County, Eastern part, and San Francisco County, California.
- Knighton, D. 1984. *Fluvial Forms and Processes*. London: Edward Arnold.
- Lynch, J.A., E.S. Corbett, and K. Mussallem. 1985. Best management practices for controlling nonpoint-source pollution on forested watersheds. *Journal of Soil and Water Conservation*. 40: 164-167.
- Magilligan, F.J. 1985. Historical floodplain sedimentation in the Galena River Basin, Wisconsin and Illinois. *Annals of the Association of American Geographers*. 75: 583-594.
- Marsh, W.M. 1998. *Landscape Planning: Environmental Applications*. New York: John Wiley & Sons.
- Meyer, L.D. 1986. Erosion Processes and Sediment Properties for Agricultural Cropland. In *Hillslope Processes: The Binghamton Symposia in Geomorphology: International Series*, edited by A.D. Abrahams. Winchester, M.A.: Allen & Unwin.
- Millward, A.A. and J.E. Mersey. 1999. Adapting the RUSLE to model soil erosion potential in a mountainous tropical watershed. *Catena*. 38: 109-129.
- Montgomery, D.R. 1994. Road surface drainage, channel initiation, and slope instability. *Water Resources Research*. 30(6): 1925-1932.

- Montgomery, D.R. and W.E. Dietrich. 1989. Source areas, drainage density, and channel initiation. *Water Resources Research*. 25(8): 1907-1918.
- Mount, J.R. 1995. *California Rivers and Streams*. Berkeley: University of California Press.
- Nilsen, T.H. 1986. Relative slope-stability mapping and land-use planning in the San Francisco Bay region, California. In *Hillslope Processes: The Binghamton Symposia in Geomorphology: International Series*, edited by A.D. Abrahams. Winchester, M.A.: Allen & Unwin.
- OMC (Oakland Museum of California). Guide to San Francisco Bay Area Creeks, San Pedro Creek, 1896. <http://www.museumca.org/creeks/76-TopoSPedro.html> (14 July 2003).
- Owens, P.N. and D.E. Wallings. 2002. Changes in sediment sources and floodplain deposition rates in the catchment of the River Tweed, Scotland, over the last 100 years: the impact of climate and land use changes. *Earth Surface Processes and Landforms*. 27: 403-423.
- PWA (Pacific Watershed Associates). 2003. Sediment Assessment of Roads and Trails within the Pescadero/Memorial/Sam McDonald County Park Complex, Pescadero Creek Watershed, San Mateo County, California Contract # 39000-02-C212, Final Report. http://www.co.sanmateo.ca.us/vgn/images/portal/cit_609/23704068sedimentassessment_body.pdf (13 May 2003).
- Pampeyan, E.H. 1994. Geologic map of the Montara Mountain and San Mateo 7-1/2' Quadrangles, San Mateo County, California, scale 1:24,000. *Miscellaneous Investigation Series Map I-2390*. Washington, D.C.: U.S. Geological Survey.
- Parsons, A.J. and Abrahams, A.D. 1993. *Overland Flow: Hydraulics and Erosion Mechanics*. New York: Chapman and Hall.
- Pasternack, G.B., G.S. Brush, and W.B. Hilgartner. 2001. Impact of historic land-use change on sediment delivery to a Chesapeake Bay subestuarine delta. *Earth Surface Processes and Landforms*. 26: 409-427.
- Petersen, R.C., L.B.M. Petersen, and J. Lacoursiere. 1992. A building block model for stream restoration. In *River Conservation and Management*, edited by P.J. Boon, P. Calow, and G.E. Petts. Chichester: John Wiley.
- Prosser, I.P., A.O. Hughes, and I.D. Rutherford. 2000. Bank Erosion of an incised upland channel by Subaerial Processes: Tasmania, Australia. *Earth Surface Processes and Landforms*. 25: 1085-1101.
- Rib, H.T. and Liang, T. 1978. Recognition and identification. In *Landslides: Analysis and Control, Special Report 176*. Edited by Schuster, R.L. and Krizek, R.J. Washington, D.C.: National Academy of Sciences. p. 34-80.
- Riley, A.L. 1998. *Restoring Streams in Cities: A Guide for Planners, Policymakers, and Citizens*. Washington, D.C.: Island Press.
- SPCWC (San Pedro Creek Watershed Coalition). 2002. In *San Pedro Creek Watershed Assessment and Enhancement Plan*. http://bss.sfsu.edu/jdavis/pedrocreek/Publications/SPCW_Assess_Enhance_Plan.pdf (10 October 2003).

- 2000. Management Plan-Draft. <http://www.pedrocreek.org/wshedplan.htm> (25 April 2003).
- Selby, M. J. 1993. *Hillslope Materials and Processes*. Oxford: Oxford University Press.
- Simanton, J.R. and K.G. Renard. 1993. Upland erosion research on rangeland. In *Overland Flow: Hydraulics and Erosion Mechanics*, edited by Parsons, A.J. and A.D. Abrahams. New York: Chapman and Hall.
- Smith, T.C. 1988. A method for mapping relative susceptibility to debris flows with an example from San Mateo County. In *Landslides, Floods, and Marine Effects of the Storm of January 3-5, 1982, in the San Francisco Bay Region, California*. U.S. Geological Survey Professional Paper 1434. Washington, D.C.: U.S. Geological Survey.
- Stillwater Sciences. 1999. South Fork Eel TMDL: Sediment source analysis, Final report. <http://www.epa.gov/region09/water/tmdl/sed4.pdf> (13 May 2003).
- Thorne, C.R. 1982. Processes and mechanisms of river bank erosion. In *Gravel-Bed Rivers: Fluvial Processes, Engineering, and Management*, edited by R.D. Hey et al. New York: John Wiley and Sons.
- USCB (US Census Bureau). 2001. Maps and cartographic products, county and county equivalent boundary files. http://www.census.gov/geo/www/cob/bdy_files.html (9 July 2003).
- USGS (US Geological Survey). 2003. San Francisco Bay Area Database, digital elevation models. http://bard.wr.usgs.gov/html/dir/dem_html/dem-sf.html (10 July 2003).
- 1998. Potential San Francisco Bay landslides during El Niño: 1982 debris flow, San Mateo County. <http://walrus.wr.usgs.gov/elnino/landslides-sfbay/debrpic.html> (18 July 2003).
- 1997. Montara Mountain, CA, 7.5-Minute Topographic Quadrangle, scale 1:24,000. Washington, D.C.: U.S. Geological Survey.
- VanderWerf, B. 1994. *Montara Mountain*. El Granada, CA: Gum Tree Land Books.
- Varnes, D.J. 1978. Slope movement types and processes. In *Landslides Analysis and Control*, edited by Schuster, R.L. and Krizek, R. Washington, D.C.: National Academy of Science.
- Vasey, M. 2001. On the trail. http://www.baynature.com/2001spring/ott_spring2001.html (14 July 2003).
- WFPB (Washington Forest Practice Board). 1997a. Watershed Analysis Manual: Mass Wasting, Department of Natural Resources, Forest Practices Division. <http://www.dnr.wa.gov/forestpractices/watershedanalysis/manual/masswast.pdf> (13 May 2003).
- 1997b. Watershed Analysis Manual: Surface Erosion, Department of Natural Resources, Forest Practices Division. <http://www.dnr.wa.gov/forestpractices/watershedanalysis/manual/erosion.pdf> (13 May 2003).
- Walling, D.E. 1983. The Sediment Delivery Problem. *Journal of Hydrology*. (65): 209-237.

- Wentworth, C.M. 1986. Maps of debris flow features evident after the storms of December 1956 and January 1982, Montara Mountain area, California. U.S. Geological Survey Open File Report 86-363, scale 1:24,000. Washington, D.C.: U.S. Geological Survey.
- Wieczorek, G.F., E.L. Harp, R.K. Mark, A.K. Bhattacharyya. 1988. Debris flows and other landslides in San Mateo, Santa Cruz, Contra Costa, Alameda, Napa, Solano, Sonoma, Lake, and Yolo Counties, and other factors influencing debris-flow distribution. In *Landslides, Floods, and Marine Effects of the Storm of January 3-5, 1982, in the San Francisco Bay Region, California*. U.S. Geological Survey Professional Paper 1434. Washington, D.C.: U.S. Geological Survey.